

DATE: 26/7/2019

TIME: 8.30-10.30 AM

-		<u>'IONS;</u>						
Answer question one and any other two questions								
a)	Differentiate between the following terms:							
	i.	Drilling and precision planting systems	(2 marks)					
	ii.	Back sight (BS) and fore sight (FS)	(2 marks)					
	iii.	Compression and power engine strokes	(2 marks)					
	iv.	Furrow and border irrigation systems	(2 marks)					
b)	Land	suitability Classes reflect degrees of suitability. Name and explain	three land					
	suital	bility classes	(6 marks)					
c)	Desc	ribe three (3) methods used during hitching of farm machinery	(6 marks)					
d)	Expla	ain the procedure of calibrating a seed drill	(7 marks)					
e)	Expla	ain the factors that affect amount and distribution of precipitation	(5 marks)					
f)	Expla	ain five (5) main parts of the reciprocating engine	(5 marks)					
g)	With	the aid of a sketch briefly describe the herringbone milking parlour	(3 marks)					

SECTION B: ANSWER ANY THREE (3) QUESTIONS (60 MARKS) QUESTION TWO

- a) Suggest one firing order of a tractor engine and explain why that firing order is in that sequence (10 marks)
- b) Explain the functions of the following systems of a tractor machine:
 - i. Power-take-off (PTO) system (2 marks)
 - ii. Lubrication system (4 marks)
 - iii. Hydraulic system (4 marks)

QUESTION THREE

a) Explain five (5) factors that influence the response of crops to fertilizer application

(10 marks)

b) A distance between point A and B was measured by a 30 m tape. After measuring 1820 m, the tape was re-checked and found to have stretched to 30.128 m. The surveyor continued with further measurements and at the end, re-checked again the tape and discovered that it had stretched further to 30.175 m. If the total distance between A and B was found to be 3km under these conditions, find the distance between these points if the correct length of the tape had been used (10 marks)

QUESTION FOUR

a) Explain five (5) advantages of drip irrigation compared to the other irrigation systems

(10 marks)

b) A slope distance of 640m was measured using a 20m tape. If the percentage slope of the land was 16%, calculate the correct horizontal distance of the measured line. Assume that the tape was checked before and after fieldwork and found to be of standard length

(10 marks)

QUESTION FIVE

- a) Explain the actions taken for the purpose of tractor maintenance after it has been operating for the following hours:
 - i. 10 hours (5 marks)
 - ii. 200 hours (5 marks)
- b) Table Q1 was extracted from profile leveling field note book where a farm road needs to be constructed. The readings marked 'A' to 'F' were illegible.

BS	IS	FS	HI	Reduced Level
0.618			А	20.480
	1.654			В
	С			19.898
2.135		D	Е	18.988
	1.231			F
		0.991		20.132

Table Q1: Proposed farm road measurements

Based on the table, determine the missing readings and carry out the arithmetic check (10 marks)