

MACHAKOS UNIVERSITY COLLEGE

**(A Constituent College of Kenyatta University)
University Examinations for 2015/2016 Academic Year**

SCHOOL OF BUSINESS AND ECONOMICS

**DEPARTMENT OF BUSINESS ENTREPRENEURSHIP AND MANAGEMENT
SCIENCES**

**FIRST SEMESTER EXAMINATION FOR DEGREE IN DOCTOR OF PHILOSOPHY IN
BUSINESS ADMINISTRATION**

BMS 900 BUSINESS STATISTICS 1

Date: 8/8/2016

Time: 11:00 – 1:00 PM

INSTRUCTIONS:

Answer Question One and any other Three Questions

QUESTION ONE

- a) Probability distribution plays a critical role in statistical estimation. Using examples of probability distribution, explain how each can be applied in business management. (10 marks)
- b) Using practical examples, explain the relevance of linear regression analysis in decisions making. (10 marks)
- c) The results of a yield improvement study at a semiconductor manufacturing facility provided defect data for a sample of 450 wafers. The following contingency table presents a summary of the responses to two questions: “Was a particle found on the die that produced the wafer?” and “Is the wafer good or bad?”

Particles	Quality		
	Good	Bad	Total
Yes	14	36	50
No	320	80	400
Total	334	116	450

- i) At the 0.05 level of significance, is there a difference between the proportion of good and bad wafers that have particles? (10 marks)
- ii) What conclusions can you draw from this analysis? (5 marks)
- d) Explain the various types of statistical sampling techniques (5 marks)

QUESTION TWO

The table below reports the aggregate consumption (Y , in billions of Kenya Shillings) and disposable income (X , in billions of Kenya Shillings) for a Kenya for the last twelve years.

Year	Y_i	X_i
1	102	114
2	106	118
3	108	126
4	110	130
5	122	136
6	124	140
7	128	148
8	130	156
9	142	160
10	148	164
11	150	170
12	154	178

- i) Calculate and interpret correlation coefficient (8 marks)
- ii) Test the significance of correlation coefficient (4 marks)
- iii) Calculate the intercept and coefficients for an estimated linear regression.

QUESTION THREE

- a) Assume you are in a class where the grades on the midterm examination are normally distributed with a mean of 78 and a standard deviation of 8. The professor wants to give the grade of A to 10% of the students. What is the lowest grade point that can be designated an A on the midterm? (7 marks)
- b) Past experience indicates that an average number of 6 customers per hour stop for gasoline at a gasoline pump. *Hint: use Poisson*
- What is the probability of 3 customers stopping in any hour? (3 marks)
 - What is the probability of 3 customers or less in any hour? (4 marks)
- c) Using practical examples explain the difference between time series and cross-sectional data collection. (6 marks)

QUESTION FOUR

- a) State and explain the relevance of the various types of non- parametric test as used in business applications. (8 marks)
- b) The following represent lecturers' assessments of the statistics skills of two groups of students;

Group 1	Group 2
8	4
6	6
3	3
5	3
8	7
7	7
7	5
6	5
5	4
6	4
6	6
7	5
8	6
	5
	4

Test at the 5 percent level of significance, the hypothesis that the first group has a higher level of reading skills than the second. (12 marks)

QUESTION FIVE

- a) Using practical examples, discuss the criteria of a good estimator (8 marks)
- b) A money manager wants to obtain a 95 percent confidence interval for fund inflow and outflows over the next six months for his existing clients. He Sampled 10 clients and found out that the weighted average was 5.5 % change in funds with the standard deviation of 10%. Calculate a 95% confidence interval for the population mean and interpret your findings. (6 marks)
- c) Bias tend to occur during sampling; explain the following biases as relate to statistical sampling; Data snooping bias, Sample selection bias, look ahead bias and time period bias. (6 marks)

d)

t Table


cum. prob	$t_{.50}$	$t_{.75}$	$t_{.80}$	$t_{.85}$	$t_{.90}$	$t_{.95}$	$t_{.975}$	$t_{.99}$	$t_{.995}$	$t_{.999}$	$t_{.9995}$
one-tail	0.50	0.25	0.20	0.15	0.10	0.05	0.025	0.01	0.005	0.001	0.0005
two-tails	1.00	0.50	0.40	0.30	0.20	0.10	0.05	0.02	0.01	0.002	0.001
df											
1	0.000	1.000	1.376	1.963	3.078	6.314	12.71	31.82	63.66	318.31	636.62
2	0.000	0.816	1.061	1.386	1.886	2.920	4.303	6.965	9.925	22.327	31.599
3	0.000	0.765	0.978	1.250	1.638	2.353	3.182	4.541	5.841	10.215	12.924
4	0.000	0.741	0.941	1.190	1.533	2.132	2.776	3.747	4.604	7.173	8.610
5	0.000	0.727	0.920	1.156	1.476	2.015	2.571	3.365	4.032	5.893	6.869
6	0.000	0.718	0.906	1.134	1.440	1.943	2.447	3.143	3.707	5.208	5.959
7	0.000	0.711	0.896	1.119	1.415	1.895	2.365	2.998	3.499	4.785	5.408
8	0.000	0.706	0.889	1.108	1.397	1.860	2.306	2.896	3.355	4.501	5.041
9	0.000	0.703	0.883	1.100	1.383	1.833	2.262	2.821	3.250	4.297	4.781
10	0.000	0.700	0.879	1.093	1.372	1.812	2.228	2.764	3.169	4.144	4.587
11	0.000	0.697	0.876	1.088	1.363	1.796	2.201	2.718	3.106	4.025	4.437
12	0.000	0.695	0.873	1.083	1.356	1.782	2.179	2.681	3.055	3.930	4.318
13	0.000	0.694	0.870	1.079	1.350	1.771	2.160	2.650	3.012	3.852	4.221
14	0.000	0.692	0.868	1.076	1.345	1.761	2.145	2.624	2.977	3.787	4.140
15	0.000	0.691	0.866	1.074	1.341	1.753	2.131	2.602	2.947	3.733	4.073
16	0.000	0.690	0.865	1.071	1.337	1.746	2.120	2.583	2.921	3.686	4.015
17	0.000	0.689	0.863	1.069	1.333	1.740	2.110	2.567	2.898	3.646	3.965
18	0.000	0.688	0.862	1.067	1.330	1.734	2.101	2.552	2.878	3.610	3.922
19	0.000	0.688	0.861	1.066	1.328	1.729	2.093	2.539	2.861	3.579	3.883
20	0.000	0.687	0.860	1.064	1.325	1.725	2.086	2.528	2.845	3.552	3.850
21	0.000	0.686	0.859	1.063	1.323	1.721	2.080	2.518	2.831	3.527	3.819
22	0.000	0.686	0.858	1.061	1.321	1.717	2.074	2.508	2.819	3.505	3.792
23	0.000	0.685	0.858	1.060	1.319	1.714	2.069	2.500	2.807	3.485	3.768
24	0.000	0.685	0.857	1.059	1.318	1.711	2.064	2.492	2.797	3.467	3.745
25	0.000	0.684	0.856	1.058	1.316	1.708	2.060	2.485	2.787	3.450	3.725
26	0.000	0.684	0.856	1.058	1.315	1.706	2.056	2.479	2.779	3.435	3.707
27	0.000	0.684	0.855	1.057	1.314	1.703	2.052	2.473	2.771	3.421	3.690
28	0.000	0.683	0.855	1.056	1.313	1.701	2.048	2.467	2.763	3.408	3.674
29	0.000	0.683	0.854	1.055	1.311	1.699	2.045	2.462	2.756	3.396	3.659
30	0.000	0.683	0.854	1.055	1.310	1.697	2.042	2.457	2.750	3.385	3.646
40	0.000	0.681	0.851	1.050	1.303	1.684	2.021	2.423	2.704	3.307	3.551
60	0.000	0.679	0.848	1.045	1.296	1.671	2.000	2.390	2.660	3.232	3.460
80	0.000	0.678	0.846	1.043	1.292	1.664	1.990	2.374	2.639	3.195	3.416
100	0.000	0.677	0.845	1.042	1.290	1.660	1.984	2.364	2.626	3.174	3.390
1000	0.000	0.675	0.842	1.037	1.282	1.646	1.962	2.330	2.581	3.098	3.300
Z	0.000	0.674	0.842	1.036	1.282	1.645	1.960	2.326	2.576	3.090	3.291
	0%	50%	60%	70%	80%	90%	95%	98%	99%	99.8%	99.9%
	Confidence Level										

Critical Values for the Mann-Whitney U-Test

Level of significance: 5% (P = 0.05)

		Size of the largest sample (n ₂)																													
		5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30				
Size of the smallest sample (n ₁)	3	0	1	1	2	2	3	3	4	4	5	5	6	6	7	7	8	8	9	9	10	10	11	11	12	13	13				
	4	1	2	3	4	4	5	6	7	8	9	10	11	11	12	13	14	15	16	17	17	18	19	20	21	22	23				
	5	2	3	5	6	7	8	9	11	12	13	14	15	17	18	19	20	22	23	24	25	27	28	29	30	32	33				
	6		5	6	8	10	11	13	14	16	17	19	21	22	24	25	27	29	30	32	33	35	37	38	40	42	43				
	7			8	10	12	14	16	18	20	22	24	26	28	30	32	34	36	38	40	42	44	46	48	50	52	54				
	8				13	15	17	19	22	24	26	29	31	34	36	38	41	43	45	48	50	53	55	57	60	62	65				
	9					17	20	23	26	28	31	34	37	39	42	45	48	50	53	56	59	62	64	67	70	73	76				
	10						23	26	29	33	36	39	42	45	48	52	55	58	61	64	67	71	74	77	80	83	87				
	11							30	33	37	40	44	47	51	55	58	62	65	69	73	76	80	83	87	90	94	98				
	12								37	41	45	49	53	57	61	65	69	73	77	81	85	89	93	97	101	105	109				
	13									45	50	54	59	63	67	72	76	80	85	89	94	98	102	107	111	116	120				
	14										55	59	64	67	74	78	83	88	93	98	102	107	112	118	122	127	131				
	15											64	70	75	80	85	90	96	101	106	111	117	122	125	132	138	143				
	16												75	81	86	92	98	103	109	115	120	126	132	138	143	149	154				
	17													87	93	99	105	111	117	123	129	135	141	147	154	160	166				
	18														99	106	112	119	125	132	138	145	151	158	164	171	177				
	19															113	119	126	133	140	147	154	161	168	175	182	189				
	20																127	134	141	149	156	163	171	178	186	193	200				
	21																	142	150	157	165	173	181	188	196	204	212				
	22																		158	166	174	182	191	199	207	215	223				
	23																			175	183	192	200	209	218	226	235				
	24																				192	201	210	219	228	238	247				
	25																					211	220	230	239	249	258				
	26																						230	240	250	260	270				
	27																							250	261	271	282				
	28																								272	282	293				
	29																									294	305				
	30																										317				

Standard Normal Distribution Table



<i>z</i>	.00	.01	.02	.03	.04	.05	.06	.07	.08	.09
0.0	.0000	.0040	.0080	.0120	.0160	.0199	.0239	.0279	.0319	.0359
0.1	.0398	.0438	.0478	.0517	.0557	.0596	.0636	.0675	.0714	.0753
0.2	.0793	.0832	.0871	.0910	.0948	.0987	.1026	.1064	.1103	.1141
0.3	.1179	.1217	.1255	.1293	.1331	.1368	.1406	.1443	.1480	.1517
0.4	.1554	.1591	.1628	.1664	.1700	.1736	.1772	.1808	.1844	.1879
0.5	.1915	.1950	.1985	.2019	.2054	.2088	.2123	.2157	.2190	.2224
0.6	.2257	.2291	.2324	.2357	.2389	.2422	.2454	.2486	.2517	.2549
0.7	.2580	.2611	.2642	.2673	.2704	.2734	.2764	.2794	.2823	.2852
0.8	.2881	.2910	.2939	.2967	.2995	.3023	.3051	.3078	.3106	.3133
0.9	.3159	.3186	.3212	.3238	.3264	.3289	.3315	.3340	.3365	.3389
1.0	.3413	.3438	.3461	.3485	.3508	.3531	.3554	.3577	.3599	.3621
1.1	.3643	.3665	.3686	.3708	.3729	.3749	.3770	.3790	.3810	.3830
1.2	.3849	.3869	.3888	.3907	.3925	.3944	.3962	.3980	.3997	.4015
1.3	.4032	.4049	.4066	.4082	.4099	.4115	.4131	.4147	.4162	.4177
1.4	.4192	.4207	.4222	.4236	.4251	.4265	.4279	.4292	.4306	.4319
1.5	.4332	.4345	.4357	.4370	.4382	.4394	.4406	.4418	.4429	.4441
1.6	.4452	.4463	.4474	.4484	.4495	.4505	.4515	.4525	.4535	.4545
1.7	.4554	.4564	.4573	.4582	.4591	.4599	.4608	.4616	.4625	.4633
1.8	.4641	.4649	.4656	.4664	.4671	.4678	.4686	.4693	.4699	.4706
1.9	.4713	.4719	.4726	.4732	.4738	.4744	.4750	.4756	.4761	.4767
2.0	.4772	.4778	.4783	.4788	.4793	.4798	.4803	.4808	.4812	.4817
2.1	.4821	.4826	.4830	.4834	.4838	.4842	.4846	.4850	.4854	.4857
2.2	.4861	.4864	.4868	.4871	.4875	.4878	.4881	.4884	.4887	.4890
2.3	.4893	.4896	.4898	.4901	.4904	.4906	.4909	.4911	.4913	.4916
2.4	.4918	.4920	.4922	.4925	.4927	.4929	.4931	.4932	.4934	.4936
2.5	.4938	.4940	.4941	.4943	.4945	.4946	.4948	.4949	.4951	.4952
2.6	.4953	.4955	.4956	.4957	.4959	.4960	.4961	.4962	.4963	.4964
2.7	.4965	.4966	.4967	.4968	.4969	.4970	.4971	.4972	.4973	.4974
2.8	.4974	.4975	.4976	.4977	.4977	.4978	.4979	.4979	.4980	.4981
2.9	.4981	.4982	.4982	.4983	.4984	.4984	.4985	.4985	.4986	.4986
3.0	.4987	.4987	.4987	.4988	.4988	.4989	.4989	.4989	.4990	.4990
3.1	.4990	.4991	.4991	.4991	.4992	.4992	.4992	.4992	.4993	.4993
3.2	.4993	.4993	.4994	.4994	.4994	.4994	.4994	.4995	.4995	.4995
3.3	.4995	.4995	.4995	.4996	.4996	.4996	.4996	.4996	.4996	.4997
3.4	.4997	.4997	.4997	.4997	.4997	.4997	.4997	.4997	.4997	.4998
3.5	.4998	.4998	.4998	.4998	.4998	.4998	.4998	.4998	.4998	.4998

Table entry for p is the critical value $(\chi^2)^*$ with probability p lying to its right.




TABLE F

χ^2 distribution critical values

df	Tail probability p											
	.25	.20	.15	.10	.05	.025	.02	.01	.005	.0025	.001	.0005
1	1.32	1.64	2.07	2.71	3.84	5.02	5.41	6.63	7.88	9.14	10.83	12.12
2	2.77	3.22	3.79	4.61	5.99	7.38	7.82	9.21	10.60	11.98	13.82	15.20
3	4.11	4.64	5.32	6.25	7.81	9.35	9.84	11.34	12.84	14.32	16.27	17.73
4	5.39	5.99	6.74	7.78	9.49	11.14	11.67	13.28	14.86	16.42	18.47	20.00
5	6.63	7.29	8.12	9.24	11.07	12.83	13.39	15.09	16.75	18.39	20.51	22.11
6	7.84	8.56	9.45	10.64	12.59	14.45	15.03	16.81	18.55	20.25	22.46	24.10
7	9.04	9.80	10.75	12.02	14.07	16.01	16.62	18.48	20.28	22.04	24.32	26.02
8	10.22	11.03	12.03	13.36	15.51	17.53	18.17	20.09	21.95	23.77	26.12	27.87
9	11.39	12.24	13.29	14.68	16.92	19.02	19.68	21.67	23.59	25.46	27.88	29.67
10	12.55	13.44	14.53	15.99	18.31	20.48	21.16	23.21	25.19	27.11	29.59	31.42
11	13.70	14.63	15.77	17.28	19.68	21.92	22.62	24.72	26.76	28.73	31.26	33.14
12	14.85	15.81	16.99	18.55	21.03	23.34	24.05	26.22	28.30	30.32	32.91	34.82
13	15.98	16.98	18.20	19.81	22.36	24.74	25.47	27.69	29.82	31.88	34.53	36.48
14	17.12	18.15	19.41	21.06	23.68	26.12	26.87	29.14	31.32	33.43	36.12	38.11
15	18.25	19.31	20.60	22.31	25.00	27.49	28.26	30.58	32.80	34.95	37.70	39.72
16	19.37	20.47	21.79	23.54	26.30	28.85	29.63	32.00	34.27	36.46	39.25	41.31
17	20.49	21.61	22.98	24.77	27.59	30.19	31.00	33.41	35.72	37.95	40.79	42.88
18	21.60	22.76	24.16	25.99	28.87	31.53	32.35	34.81	37.16	39.42	42.31	44.43
19	22.72	23.90	25.33	27.20	30.14	32.85	33.69	36.19	38.58	40.88	43.82	45.97
20	23.83	25.04	26.50	28.41	31.41	34.17	35.02	37.57	40.00	42.34	45.31	47.50
21	24.93	26.17	27.66	29.62	32.67	35.48	36.34	38.93	41.40	43.78	46.80	49.01
22	26.04	27.30	28.82	30.81	33.92	36.78	37.66	40.29	42.80	45.20	48.27	50.51
23	27.14	28.43	29.98	32.01	35.17	38.08	38.97	41.64	44.18	46.62	49.73	52.00
24	28.24	29.55	31.13	33.20	36.42	39.36	40.27	42.98	45.56	48.03	51.18	53.48
25	29.34	30.68	32.28	34.38	37.65	40.65	41.57	44.31	46.93	49.44	52.62	54.95
26	30.43	31.79	33.43	35.56	38.89	41.92	42.86	45.64	48.29	50.83	54.05	56.41
27	31.53	32.91	34.57	36.74	40.11	43.19	44.14	46.96	49.64	52.22	55.48	57.86
28	32.62	34.03	35.71	37.92	41.34	44.46	45.42	48.28	50.99	53.59	56.89	59.30
29	33.71	35.14	36.85	39.09	42.56	45.72	46.69	49.59	52.34	54.97	58.30	60.73
30	34.80	36.25	37.99	40.26	43.77	46.98	47.96	50.89	53.67	56.33	59.70	62.16
40	45.62	47.27	49.24	51.81	55.76	59.34	60.44	63.69	66.77	69.70	73.40	76.09
50	56.33	58.16	60.35	63.17	67.50	71.42	72.61	76.15	79.49	82.66	86.66	89.56
60	66.98	68.97	71.34	74.40	79.08	83.30	84.58	88.38	91.95	95.34	99.61	102.7
80	88.13	90.41	93.11	96.58	101.9	106.6	108.1	112.3	116.3	120.1	124.8	128.3
100	109.1	111.7	114.7	118.5	124.3	129.6	131.1	135.8	140.2	144.3	149.4	153.2