



MACHAKOS UNIVERSITY

University Examinations for 2021/2022 Academic Year

SCHOOL OF ENGINEERING AND TECHNOLOGY

DEPARTMENT OF MECHANICAL AND MANUFACTURING ENGINEERING

SECOND YEAR SPECIAL/SUPPLEMENTARY EXAMINATION FOR

BACHELOR OF SCIENCE (ELECTRICAL AND ELECTRONIC ENGINEERING)

EEE 200: INTRODUCTION TO MATERIALS SCIENCE

DATE: 29/8/2022

TIME: 11.00-1.00 PM

INSTRUCTIONS

1. *This paper contains FIVE questions.*
2. *Question ONE is compulsory and carries 30 marks.*
3. *Four remaining questions carry 20 marks each.*
4. *Attempt question ONE and any other TWO.*

QUESTION ONE (COMPULSORY) (30 MARKS)

- a) Define the following terms as used in materials science
- (i) Unit cell (1 mark)
 - (ii) Crystal lattice (1 mark)
 - (iii) Dislocation (1 mark)
 - (iv) Polymorphism (1 mark)
 - (v) Solid solution (1 mark)
- b) Explain why the study of materials science is important (2 marks)
- c) Sketch the following planes and directions in separate unit cells
- (i) Plane (423) (1 mark)
 - (ii) Direction $[112]$ which is equivalent to direction $[\frac{1}{2} \frac{1}{2} 1]$ (1 mark)
 - (iii) Plane $(1\bar{1}0)$ (1 mark)

- d) Explain FOUR factors that cause imperfections in crystalline materials (4 marks)
- e) During a tensile test on a steel bar, the following were measured: $d_o = 6.2 \text{ mm}$; $L_o = 50 \text{ mm}$; $d_f = 4.8 \text{ mm}$; $L_f = 83 \text{ mm}$; and $P = 8.45 \text{ kN}$ and $\Delta L = 0.092 \text{ mm}$ at the elastic limit; breaking force = 7.31 kN . Calculate:
- The value of Young's modulus (3 marks)
 - Logarithmic strain at fracture (1 marks)
 - True fracture stress (1 marks)
- f) Consider the alloy system with an intermetallic compound shown in Figure Q1(c). For 100 g of an alloy containing 95% of B, determine:
- The temperatures at which melting starts and ends (1 marks)
 - The phases present, their chemical compositions, and their quantities at 520°C (4 marks)




Figure Q1(c)

- g) Show that the Vickers hardness number (VHN) is given by: $VHN = \frac{1.854P}{d^2}$ (6 marks)

QUESTION TWO (20 MARKS)

- a) Figure Q2(a) shows the unit cell of a hypothetical metal.
- What is the crystal system of the metal and what would the crystal structure be called? (2 marks)
 - Calculate the atomic packing factor of the unit cell (5 marks)
 - Calculate the planar density in the plane $(\bar{1}01)$ (3 marks)




Figure Q2(a)

b)

i) With the aid of sketches, show how the magnitude and direction of a Burgers vector **b** of an edge dislocation can be determined (4 marks)

ii) Explain TWO differences between an edge and a screw dislocation (2 marks)

c) Discuss TWO planar defects that may occur in engineering materials (4 marks)

QUESTION THREE (20 MARKS)

a) Differentiate between the following terms:

i) Engineering strain and true strain (2 marks)

ii) Toughness and brittleness (2 marks)

b)

i) Show that the Brinell hardness number is given by: $BHN = \frac{P}{\frac{\pi D}{2} [D - \sqrt{D^2 - d^2}]}$ (5 marks)

ii) Discuss FOUR differences between the Brinell and Vickers hardness scales (4 marks)

c) During the tensile test of an aluminium specimen, the following results were recorded: $L_o = 70 \text{ mm}$; $d_o = 14.0 \text{ mm}$.

Load (kN)	0	3	6	9	11	12.5	14	15
ΔL (mm)	0.0	0.0197	0.0395	0.0592	0.0724	0.096	0.125	0.185

- i) Plot a stress-strain curve and determine the modulus of elasticity of the specimen. (4 marks)
- ii) If the diameter under the 9 kN load was 13.997 mm, determine the materials Poisson's ratio (3 marks)

QUESTION FOUR (20 MARKS)

- a) Figure Q4(a) gives the atomic radii, crystal structure, the most common valency, and the electronegativities of some elements. Determine, giving reasons, which element is likely to:
- i) Form a solid solution with nickel showing complete solubility in the solid state (2 marks)
 - ii) Form a substitutional solid solution with nickel (2 marks)
 - iii) Form an interstitial solid solution with nickel (2 marks)

Element	Atomic radius [nm]	Common valence	Crystal structure	Electro negativity
Ni	0.1246	2+	FCC	1.8
C	0.071			
H	0.046			
O	0.060			
Ag	0.1445	1+	FCC	1.9
Al	0.1431	3+	FCC	1.5
Co	0.1253	2+	HCP	1.8
Cr	0.1249	3+	BCC	1.6
Fe	0.1241	2+	BCC	1.8
Pt	0.1387	2+	FCC	2.2
Zn	0.1332	2+	HCP	1.6

Figure Q4(a)

- b) Explain FOUR differences between solid solutions and intermetallic compounds (4 marks)
- c)
 - i) Plot an equilibrium phase diagram of two metals A and B which are completely insoluble in the solid state (1 mark)
 - ii) Describe the solidification of an alloy of metal A and B whose composition is to the left of the eutectic point (7 marks)

- d) Sketch and label the equilibrium diagram between two metals A and B given that: B has a higher melting point than A; A and B form an intermetallic compound in which both metals are soluble; and B is soluble in A but A is not soluble in B. (2 marks)

QUESTION FIVE (20 MARKS)

- a) Discuss THREE reasons why the ferrous alloys (steels and cast irons) are widely used engineering metals (3 marks)
- b) Differentiate between thermoplastics, thermosets and elastomers (3 marks)
- c) Name and explain FOUR groups of ceramic materials (4 marks)
- d) List TWO uses of 2XXX (Al-Cu) Al alloys (2 marks)
- e) Explain FOUR important properties of aluminium (4 marks)
- f) Differentiate between brasses and bronzes (2 marks)
- g) What is a composite material? (2 marks)